



# JB Tubes BV



ELECTRIC WELDED STEEL TUBES (ERW) ACCORDING TO EN 10217-2

## ELECTRIC WELDED STEEL TUBES (ERW) ACCORDING TO EN 10217-2

### TECHNICAL CHARACTERISTICS

<b>Material:</b>	<b>P195GH TC1</b>
<b>Condition:</b>	<b>In- and outside bright surface Normalized (+N) Ends capped Ink jet stamped (full length)</b>
<b>OD tolerance:</b>	<b>+/- 1% or +/- 0,5mm (highest value counts)</b>
<b>WT tolerance</b>	<b>+/- 10%, min. 0,3mm</b>
<b>Length:</b>	<b>6.700 -0/+50 mm</b>
<b>Certificate:</b>	<b>EN 10204 / 3.1 EN 10204 / 3.2 (on request)</b>

### MECHANICAL CHARACTERISTICS

<b>Yield</b>	<b>min. 195 N/mm<sup>2</sup></b>
<b>Tensile</b>	<b>320 - 440 N/mm<sup>2</sup></b>
<b>Elongation</b>	<b>min. 27%</b>

**other sizes on special request**

<b>OD mm</b>	<b>Inch OD</b>	<b>Wall mm</b>	<b>Kg/m</b>
33,7	1"	2,6	1,99
33,7	1"	3,2	2,41
33,7	1"	3,6	2,67
42,4	1 1/4"	2,6	2,55
42,4	1 1/4"	3,2	3,09
42,4	1 1/4"	4	3,79
48,3	1 1/2"	2,6	2,93
48,3	1 1/2"	3,2	3,59
48,3	1 1/2"	4	4,37
48,3*	1 1/2"	5	5,34
60,3	2"	2,9	4,10
60,3	2"	3,6	5,03
60,3*	2"	5	6,82
76,1	2 1/2"	2,9	5,23
76,1	2 1/2"	3,6	6,44
76,1*	2 1/2"	5	8,77
88,9	3"	3,2	6,76
88,9	3"	3,6	7,57

OD mm	Inch OD	Wall mm	Kg/m
88,9*	3"	5	10,35
114,3*	4"	3,6	9,83
114,3*	4"	5	13,48

\* Will be delivered as seamless P195GH+N acc EN 10216-2 with bright surface in- and outside.